

Gruenberg Industrial Bench Oven Specifications

Temperature to 450°F

Capacity ft ³	Max Temp	Airflow	Interior Dimensions W x D x H in.	Shipping Weight	Model #
4.6	450	Horizontal	20 x 20 x 20	300	B45H46
10	450	Horizontal	26 x 26 x 26	370	B45H100
15.6	450	Horizontal	30 x 30 x 30	570	B45H156
27	450	Horizontal	36 x 36 x 36	900	B45H270

Temperature to 650°F

Capacity ft ³	Max Temp	Airflow	Interior Dimensions W x D x H in.	Shipping Weight	Model #
10	650	Horizontal	26 x 26 x 26	390	B65H100
15.6	650	Horizontal	30 x 30 x 30	600	B65H156
27	650	Horizontal	36 x 36 x 36	950	B65H270

Temperature to 800°F

Capacity ft ³	Max Temp	Airflow	Interior Dimensions W x D x H in.	Shipping Weight	Model #
4.6	800	Compound Horizontal	20 x 20 x 20	450	B80C46
10	800	Compound Horizontal	26 x 26 x 26	550	B80C100
15.6	800	Compound Horizontal	30 x 30 x 30	800	B80C156
27	800	Compound Horizontal	36 x 36 x 36	1100	B80C270

Temperature to 1000°F

Capacity ft ³	Max Temp	Airflow	Interior Dimensions W x D x H in.	Shipping Weight	Model #
4.6	1000	Compound Horizontal	20 x 20 x 20	450	B100C46
10	1000	Compound Horizontal	26 x 26 x 26	550	B100C100
15.6	1000	Compound Horizontal	30 x 30 x 30	800	B100C156
27	1000	Compound Horizontal	36 x 36 x 36	1100	B100C270

Temperature to 1200°F

Capacity ft ³	Max Temp	Airflow	Interior Dimensions W x D x H in.	Shipping Weight	Model #
4.6	1200	Compound Horizontal	20 x 20 x 20	450	B120C46
10	1200	Compound Horizontal	26 x 26 x 26	605	B120C100
15.6	1200	Compound Horizontal	30 x 30 x 30	880	B120C156
27	1200	Compound Horizontal	36 x 36 x 36	1210	B120C270